

295 liter tank i Syrafast 316



67,000,00 kr /st exkl moms

Additional information: Pharmazie; inkl. Pumpe und UV-Reaktor

Volumetric volume (L): 295 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 9 L

Max Overpressure: 3 Bar

Max. working temperature: 50 °C

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 500 mm

Cylinder height: 1.340 mm

Total height of tank: 2.100 mm

SKU: 268708

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Pharmazie; inkl. Pumpe und UV-Reaktor; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 0.50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 295

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.340 mm

Invändig diameter: 500 mm

Total höjd: 2.100 mm

Mer

Värmeväxlare: RVS 304

Isolerad: Ja