

## 3000 liter tank i Rostfritt 304



**60,000,00 kr /st exkl moms**

**Additional information:** Dairy; Small dents and several small holes (corrosion) in the insulation jacket; 1 overflow pipe inside the tank; Outlet pipe dented (see photos); some residues of previous content

**Volumetric volume (L):** 3.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** 80

**Internal diameter tank:** 1.690 mm

**Outer diameter tank:** 1.930 mm

**Cylinder height:** 1.400 mm

**Total height of tank:** 2.400 mm

**SKU:** 297603

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; Small dents and several small holes (corrosion) in the insulation jacket; 1 overflow pipe inside the tank; Outlet pipe dented (see photos); some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.400 mm

Invändig diameter: 1.690 mm

Total höjd: 2.400 mm

Ytterdiameter: 1.930 mm

## Mer

Isolerad: Ja

