

## 3000 liter tank i Rostfritt 304



**65,000,00 kr /st exkl moms**

**Additional information:** Dairy; 1 manhole diameter 500 mm in the front bottom

**Volumetric volume (L):** 3.000 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** yes

**Outlet of tank:** DN50 DIN 11851

**Internal diameter tank:** 1.100 mm

**Outer diameter tank:** 1.200 mm

**Total height of tank:** 1.600 mm

**Total outer length:** 4.000 mm

**SKU:** 279151

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; 1 manhole diamter 500 mm in the front bottom

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 1.100 mm

Total höjd: 1.600 mm

Ytterdiameter: 1.200 mm

## Mer

Isolerad: Ja