

## 3000 liter tank i Syrafast 316



**120,000,00 kr /st exkl moms**

**Additional information:** chemistry; mild steel parts outside sandblasted and primed; upper bottom heat/coolable as well; some residues of previous content

**Volumetric volume (L):** 3.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** 135

**Agitator:** yes

**Power:** 2,20

**Internal diameter tank:** 1.400 mm

**Outer diameter tank:** 1.450 mm

**Cylinder height:** 1.650 mm

**Total height of tank:** 4.300 mm

**SKU:** 265669

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: chemistry; mild steel parts outside sandblasted and primed; upper bottom heat-coolable as well; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 3000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 1.650 mm

Invändig diameter: 1.400 mm

Total höjd: 4.300 mm

Ytterdiameter: 1.450 mm

## Omrörare

Kraft (kW): 2,20

**Mer**

Isolerad: Nej

---