

310 liter tank i Syrafast 316



56,000,00 kr /st exkl moms

Additional information: Pharmacy (liquids; not hazardous to health); Test pressure: 1.5 bar; Test temperature: 127 ° C .; 1 step on the outside of the tank; 1 head hole diameter 300 mm in the top bottom; 2 welded brackets inside; small dents in the insulation jacket

Volumetric volume (L): 310 L

Pressure in tank: pressure
Max. pressure (Bar): 1 Bar
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Max Overpressure: 1 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Outlet of tank: available
Internal diameter tank: 600 mm
Outer diameter tank: 700 mm
Cylinder height: 750 mm

Total height of tank: 1.850 mm
Empty weight tank: 9.200

SKU: 275155

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Pharmacy (liquids; not hazardous to health); Test pressure: 1.5 bar; Test temperature: 127 ° C .; 1 step on the outside of the tank; 1 head hole diameter 300 mm in the top bottom; 2 welded brackets

Övrig information2: inside; small dents in the insulation jacket

Omrörare: Nej

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 310

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 750 mm

Invändig diameter: 600 mm

Total höjd: 1.850 mm

Ytterdiameter: 700 mm

Mer

Isolerad: Ja

Vikt: 9.200
