

313 liter tank i Syrafast 316



51,000,00 kr /st exkl moms

Additional information: chemistry; 3-footed frame, Fe (lacquered; 1 foot shortened); clamp screws, Fe (with corrosion); some residues of previous content

Volumetric volume (L): 313 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 90 L

Max Overpressure: 10 Bar

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Power: 4

Internal diameter tank: 700 mm

Cylinder height: 630 mm

Total height of tank: 3.050 mm

SKU: 268780

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: chemistry; 3-footed frame, Fe (lacquered; 1 foot shortened); clamp srews, Fe (with corrosion); some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 3 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 313

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 630 mm

Invändig diameter: 700 mm

Total höjd: 3.050 mm

Omrörare

Kraft (kW): 4

Mer

Värmeväxlare: RVS 304

Isolerad: Nej