

3340 liter tank i Rostfritt 304



133,000,00 kr /st exkl moms

Article type: second-hand pressure tank

Volumetric volume (L): 3.340 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): -1 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no



Insulation: yes

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 3 adjustable feet

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 65 mm

Agitator: no, optional

Insulation body: yes

Insulation bottom/sides: yes

finish of the outer jacket: welded

Internal diameter tank: 1.670 mm

Distance from outlet to ground: 450 mm

Outer diameter tank: 1.780 mm

Cylinder height: 1.150 mm

Total height of tank: 2.410 mm

Empty weight tank: 800

SKU: 64209

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure
Konfiguration: insulated
Mobil tank: Nej
Omrörare: Nej
Övertryck: 3 Bar
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: dished
Undertryck (vakuum): -1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 3340

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 65 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

Ytterbeklädnad: RVS 304

Dimensioner av tank

Cylinderhöjd: 1.150 mm

Invändig diameter: 1.670 mm

Mått utlopp till marken: 450 mm

Total höjd: 2.410 mm

Ytterdiameter: 1.780 mm

Tjocklek på ytterbeklädnad och isolering

Finish utvändig mantel: welded

Isolering botten/gavlar: Ja

Isolering mantel: Ja

Mer

Isolerad: Ja

Vikt: 800