

350 liter tank i Rostfritt 304



26,000,00 kr /st exkl moms

Additional information: 1 stronger and smaller dents in the insulation jacket; lower heating connection cut off; some residues of previous content; pipe end cut flush; scratches inside; Functionality of the double jacket not checked

Volumetric volume (L): 350 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no
Top type: open

Total discharge: yes
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no

Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 70
Internal diameter tank: 590 mm
Outer diameter tank: 740 mm

Cylinder height: 1.250 mm
Total height of tank: 1.900 mm

SKU: 402173

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: 1 stronger and smaller dents in the insulation jacket; lower heating connection cut off; some residues of previous content; pipe end cut flush; scratches inside; Functionality of the double jacket not

Övrig information2: checked; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 350

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.250 mm

Invändig diameter: 590 mm

Total höjd: 1.900 mm

Ytterdiameter: 740 mm

Mer

Isolerad: Ja
