

3500 liter tank i Rostfritt 304



56,000,00 kr /st exkl moms

Additional information: Chemistry; 1 stronger dent in the transition from cylinder to upper bottom; small dents in the cylinder; Foot reinforcements, Fe; Outlet extension bent; some residues of previous content

Volumetric volume (L): 3.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 48

Agitator: yes

Number of revolutions: 910

Power: 1,50

Internal diameter tank: 1.500 mm

Cylinder height: 2.000 mm

Total height of tank: 3.050 mm

SKU: 283483

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; 1 stronger dent in the transition from cylinder to upper bottom; small dents in the cylinder; Foot reinforcements, Fe; Outlet extension bent; some residues of previous content; we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.500 mm

Total höjd: 3.050 mm

Omrörare

Kraft (kW): 1,50

Varvtal: 910

Mer

Isolerad: Nej
