

## 3500 liter tank i Rostfritt 304



**84,000,00 kr /st exkl moms**

**Additional information:** Beverage industry; Smaller dents on feet and outlet; the high adjustable screws of the feet and the toggle screw of the manhole cover are missing; some residues of previous content; bump at the insulation jacket

**Volumetric volume (L):** 3.500 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket  
**Type HE on the cylinder:** heating/cooling jacket  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no

**Flange for agitator:** no  
**Position of manway:** in the bottom  
**Outlet of tank:** DN80 DIN 11851  
**Agitator:** yes  
**Power:** 2,20

**Internal diameter tank:** 1.590 mm  
**Outer diameter tank:** 1.770 mm  
**Cylinder height:** 1.500 mm  
**Total height of tank:** 4.250 mm

**SKU:** 296102

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Beverage industry; Smaller dents on feet and outlet; the hight adjustable screws of the feet and the toggle screw of the manhole cover are missing ; some residues of previous content;bump at the

Övrig information2: insulation jacket; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 1.590 mm

Total höjd: 4.250 mm

Ytterdiameter: 1.770 mm

**Omrörare**

Kraft (kW): 2,20

**Mer**

Isolerad: Ja

---