

35000 liter tank i Rostfritt 304



197,000,00 kr /st exkl moms

Additional information: Chemistry; Manhole approx. 360 x 460 mm; height-adjustable screws of the feet no longer available; 1 pipe inside the tank; some residues of previous content

Volumetric volume (L): 35.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 90 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: yes

Position of manway: cylinder
Outlet of tank: DN80 DIN 11851
Top: 4 mm
Cylinder: 3 mm
Bottom: 5 mm

Internal diameter tank: 2.990 mm
Cylinder height: 4.730 mm
Total height of tank: 6.350 mm
Empty weight tank: 3.500

SKU: 477939

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 90 °C

Mobil tank: Nej

Övrig information: Chemistry; Manhole approx. 360 x 460 mm; height-adjustable screws of the feet no longer available; 1 pipe inside the tank; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 35000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.730 mm

Invändig diameter: 2.990 mm

Total höjd: 6.350 mm

Tjocklek på tank

Botten: 5 mm

Cylinder: 3 mm

Topp: 4 mm

Mer

Isolerad: Nej

Vikt: 3.500
