

## 3600 liter tank i Rostfritt 304



**94,000,00 kr /st exkl moms**

**Additional information:** brewery; 1 pipe inside the tank (see photos); manhole appr. 345 x 440 mm; dents at the insulation jacket

**Volumetric volume (L):** 3.600 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 2,60 Bar

**Max. temperature (°C):** 20 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 2,60 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** available

**Cylinder:** 3 mm

**Bottom:** 4 mm

**Internal diameter tank:** 1.400 mm

**Outer diameter tank:** 1.500 mm

**Cylinder height:** 2.000 mm

**Total height of tank:** 3.400 mm

**SKU:** 271846

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated

Max. arbetstemperatur: 20 °C

Mobil tank: Nej

Övrig information: brewery; 1 pipe inside the tank (see photos); manhole appr. 345 x 440 mm; dents at the insulation jacket

Omrörare: Nej

Övertryck: 2.60 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3600

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.400 mm

Total höjd: 3.400 mm

Ytterdiameter: 1.500 mm

**Tjocklek på tank**

Botten: 4 mm

Cylinder: 3 mm

**Mer**

Isolerad: Ja