

3650 liter tank i Rostfritt 304



82,000,00 kr /st exkl moms

Additional information: chemistry; 1 rectangular opening in the upper bottom (approx. 690 x 400 mm; becomes wider than 400 mm due to the rounding); some residues of previous content

Volumetric volume (L): 3.650 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 82

Power: 4

Internal diameter tank: 1.890 mm

Cylinder height: 1.200 mm

Total height of tank: 3.400 mm

SKU: 267568

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: chemistry; 1 trectangular opening in the upper bottom (approx. 690 x 400 mm; becomes wider than 400 mm due to the rounding); some residues of previous content; we can't give any guarantees about the

Övrig information2: agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 3650

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.200 mm

Invändig diameter: 1.890 mm

Total höjd: 3.400 mm

Omrörare

Kraft (kW): 4

Varvtal: 82

Mer

Isolerad: Nej
