

375 liter tank i Rostfritt 304



58,000,00 kr /st exkl moms

Additional information: lubricant production; frame, Fe

Volumetric volume (L): 375 L

Pressure in tank: pressure

Max. pressure (Bar): 7,60 Bar

Max. temperature (°C): 290 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Agitator: yes

Mobile tank: no

Total discharge: yes

Volume: 25 L

Max Overpressure: 3 Bar

Max. working temperature: 290 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 800 mm

Outer diameter tank: 860 mm

Total height of tank: 3.500 mm

SKU: 270748

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 290 °C

Mobil tank: Nej

Övrig information: lubricant production; frame, Fe; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 7.60 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 375

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 800 mm

Total höjd: 3.500 mm

Ytterdiameter: 860 mm

Mer

Isolerad: Nej
