


400 liter tank i Rostfritt 304



Be om offert

Article type: second-hand mixing tank

Additional information: Stainless steel V-mixer with a capacity of 400 liters equipped with an intensification bar (prepared for inerting or liquid injection) to improve mixing. Supply through the two upper holes with manual cover and discharge with a 200 mm diameter butterfly valve. The intensifier bar motor is 5.5 hp (1430 rpm) * With electrical panel.; we can't give any guarantees about the agitator

Volumetric volume (L): 400 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: strong conical

Total discharge: yes

Fixation points: 2 non adjustable feet

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 200 mm

Total outlet valve: yes

Agitator: yes

Number of revolutions: 22

Power: 2,20

Total height of tank: 3.000 mm

Total outer width: 850 mm

Total outer length: 3.150 mm

Empty weight tank: 640

SKU: 182341

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Stainless steel V-mixer with a capacity of 400 liters equipped with an intensification bar (prepared for inerting or liquid injection) to improve mixing. Supply through the two upper holes with

Övrig information2: manual cover and discharge with a 200 mm diameter butterfly valve. The intensifier bar motor is 5.5 hp (1430 rpm) * With electrical panel.; we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: strong conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 400

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 200 mm

Teknisk ritning finns: Nej

Utloppsventil: Ja

Översikt material

Material: Rostfritt 304



Dimensioner av tank

Total höjd: 3.000 mm

Omrörare

Kraft (kW): 2,20

Varvtal: 22

Mer

Isolerad: Nej

Vikt: 640