

4000 liter tank i Rostfritt 304



151,000,00 kr /st exkl moms

Additional information: Ice cream factory; 1 tank is approx. 350 mm higher in total height due to a pipeline; The height-adjustable screw on 1 foot of 1 tank is missing

Volumetric volume (L): 4.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 98 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 3,50 Bar

Max. working temperature: 98 °C

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN50

Agitator: yes

Number of revolutions: 23 / 48

Power: 1.2 / 2.2

Internal diameter tank: 1.300 mm

Outer diameter tank: 1.500 mm

Cylinder height: 3.000 mm

Total height of tank: 4.200 mm

SKU: 303111

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 98 °C

Mobil tank: Nej

Övrig information: Ice cream factory; 1 tank is approx. 350 mm higher in total height due to a pipeline; The height-adjustable screw on 1 foot of 1 tank is missing; we can't give any guarantees about the

Övrig information2: heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 4000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 1.300 mm

Total höjd: 4.200 mm

Ytterdiameter: 1.500 mm

Omrörare

Kraft (kW): 1.2 / 2.2

Varvtal: 23 / 48

Mer

Isolerad: Ja