

## 4000 liter tank i Rostfritt 304



**74,000,00 kr /st exkl moms**

**Additional information:** Pharmaceutical chemistry; +4 bar test pressure

**Volumetric volume (L):** 4.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 50 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** flange DN100

**Cylinder:** 5 mm

**Bottom:** 4,40 mm

**Internal diameter tank:** 1.600 mm

**Cylinder height:** 1.640 mm

**Total height of tank:** 3.000 mm

**SKU:** 281140

Mer information

## Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: ATM – atmosferic  
Konfiguration: single-skin  
Max. arbetstemperatur: 50 °C  
Mobil tank: Nej  
Övrig information: Pharmaceutical chemistry; +4 bar test pressure  
Omrörare: Nej  
Total urtappning: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 4000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.640 mm  
Invändig diameter: 1.600 mm  
Total höjd: 3.000 mm

## Tjocklek på tank

Botten: 4,40 mm  
Cylinder: 5 mm

**Mer**

Isolerad: Nej

---