

## 40000 liter tank i Rostfritt 304



**241,000,00 kr /st exkl moms**

**Additional information:** water/ quartz sand mixture; 4 loose bearing shells made of Fe; manhole diameter 430 mm; Wall thicknesses: cylinder: 3 mm, front bottom: 3 mm, rear bottom: 2.6 mm; some residues of previous content

**Volumetric volume (L):** 40.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** horizontal

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** headside

**Outlet of tank:** 45  
**Outer diameter tank:** 2.600 mm  
**Total height of tank:** 3.270 mm  
**Total outer length:** 8.550 mm

**SKU:** 298524

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: water/ quartz sand mixture; 4 loose bearing shells made of Fe; manhole diameter 430 mm; Wall thicknesses: cylinder: 3 mm, front bottom: 3 mm, rear bottom: 2.6 mm ; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 40000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Total höjd: 3.270 mm

Ytterdiameter: 2.600 mm

## Mer

Isolerad: Nej