

## 415 liter tank i Rostfritt 304



**101,000,00 kr /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** we can't give any guarantees about the agitator

**Volumetric volume (L):** 415 L

**Ra inner weld:** 0,80

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,50 Bar

**Max. temperature (°C):** 134 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** dished

**Total discharge:** yes

**Fixation points:** 4 casters

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 300 mm

**Hinged lid:** yes

**Tank outlet:** inside Ø 20 mm

**Agitator:** yes

**Agitator type:** disk agitator

**Position engine:** at the top

**Number of revolutions:** 2.935

**Power:** 5,50

**Voltage:** 380/660 V - three-phase

**Current:** 10.8/6.22

**Distance from outlet to ground:** 200 mm

**Outer diameter tank:** 750 mm

**Cylinder height:** 800 mm

**Total height of tank:** 2.250 mm

**Total outer width:** 890 mm

**Total outer length:** 1.050 mm

**SKU:** 192809

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 134 °C

Mobil tank: Nej

Övrig information: we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0.50 Bar

Ra innersvets: 0,80

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 415

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 20 mm  
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 800 mm  
Mått utlopp till marken: 200 mm  
Total höjd: 2.250 mm  
Ytterdiameter: 750 mm

## Omrörare

Kraft (kW): 5,50  
Position motor: at the top  
Typ av omrörare: disk agitator  
Varvtal: 2.935  
Spänning (Volt): 380/660 V – three-phase

## Mer

Isolerad: Nej