

42300 liter tank i Rostfritt 304



270,000,00 kr /st exkl moms

Additional information: KZE-tank (fruit juice); Designed for specific weight 1,15 kg/dm³ (at 0,99 bar) or specific weight 1,37 kg/dm³ (pressureless); wall thickness cylinder: 1. & 2. cylinder section: 3,0 mm; rest cylinder: 2,5 mm; manhole 340 x 440 mm; cylinder outside marbled; 2 tanks with smaller dents

Volumetric volume (L): 42.300 L

Pressure in tank: pressure
Max. pressure (Bar): 0,99 Bar
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Max Overpressure: 0,99 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: cylinder
Outlet of tank: DN65 DIN 11851
Top: 3,50 mm
Bottom: 5 mm

Internal diameter tank: 2.600 mm
Cylinder height: 7.250 mm
Total height of tank: 8.750 mm

SKU: 269215

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: KZE-tank (fruit juice); Designed for specific weight 1,15 kg/dm³ (at 0,99 bar) or specific weight 1,37 kg/dm³ (pressureless); wall thickness cylinder: 1. & 2. cylinder section: 3,0 mm; rest

Övrig information2: cylinder: 2,5 mm; manhole 340 x 440 mm; cylinder outside marbled; 2 tanks with smaller dents

Omrörare: Nej

Övertryck: 0.99 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 42300

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 7.250 mm

Invändig diameter: 2.600 mm

Total höjd: 8.750 mm

Tjocklek på tank

Botten: 5 mm

Topp: 3,50 mm

Mer

Isolerad: Nej