

## 42610 liter tank i Rostfritt 304



**328,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** Suction tube instead of a total drain, the previous product was ammonia

**Volumetric volume (L):** 42.610 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 2,60 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Wall type:** dished

**Total discharge:** no

**Manway(s):** RVS 304

**Fixation point(s):** painted steel

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Tank outlet:** inside Ø 60 mm

**Tank location:** outside

**Agitator:** no, optional

**Top:** 7 mm

**Cylinder:** 5 mm

**Bottom:** 7 mm

**Outer diameter tank:** 2.400 mm

**Cylinder height:** 8.900 mm

**Total height of tank:** 3.220 mm

**Total outer length:** 11.600 mm

**Empty weight tank:** 7.000

**SKU:** 299362

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Suction tube instead of a total drain, the previous product was ammonia

Omrörare: Nej

Övertryck: 2.60 Bar

Tankens form: cylindrical

Total urtappning: Nej

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 42610

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Tankutlopp: inside Ø 60 mm

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): painted steel



## Dimensioner av tank

Cylinderhöjd: 8.900 mm  
Total höjd: 3.220 mm  
Ytterdiameter: 2.400 mm

## Tjocklek på tank

Botten: 7 mm  
Cylinder: 5 mm  
Topp: 7 mm

## Mer

Isolerad: Nej  
Vikt: 7.000