

## 440 liter tank i Rostfritt 304



**51,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; Mobile tilting tank (mobile frames made of mild steel (lacquered), tilting frame made of 1.4541 (304)); no outlet in the lower bottom; manhole diameter approx. 390 mm; 2 sight glasses in the upper bottom or in the manhole cover are missing

**Volumetric volume (L):** 440 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,50 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Volume:** 65 L

**Max Overpressure:** 0,50 Bar

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** non-existent

**Internal diameter tank:** 770 mm

**Outer diameter tank:** 910 mm

**Total height of tank:** 1.780 mm

**SKU:** 274495

Mer information



## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Pharmacy; Mobile tilting tank (mobile frames made of mild steel (lacquered), tilting frame made of 1.4541 (304)); no outlet in the lower bottom; manhole diameter approx. 390 mm; 2 sight glasses in

Övrig information2: the upper bottom or in the manhole cover are missing

Omrörare: Nej

Övertryck: 0.50 Bar

Total urtappning: Nej

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 440

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 770 mm

Total höjd: 1.780 mm

Ytterdiameter: 910 mm

**Mer**

Värmeväxlare: RVS 304

Isolerad: Nej