

## 4450 liter tank i Rostfritt 304



**166,000,00 kr /st exkl moms**

**Article type:** second-hand pressure tank

**Additional information:** Tank AD-2000 Merkblatt; hardly ever used

**Volumetric volume (L):** 4.450 L

**Max. density P (kg/m<sup>3</sup>):** 1.200

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,50 Bar

**Max. temperature (°C):** 90 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** dished

**Total discharge:** yes

**Fixation points:** 4 non adjustable feet

**Manway(s):** RVS 304

**Fixation point(s):** RVS 304

**Suitable for food industry:** no

**Documents included:** yes

**Technical drawing included:** yes

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 500 mm

**Tank outlet:** inside Ø 50 mm

**Agitator:** no

**Top:** 5 mm

**Cylinder:** 4 mm

**Bottom:** 5 mm

**Outer diameter tank:** 1.800 mm

**Cylinder height:** 1.585 mm

**Total height of tank:** 2.400 mm

**Empty weight tank:** 805

**SKU:** 295487

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: pressure  
Konfiguration: single-skin  
Max. arbetstemperatur: 90 °C  
Maximal densitet för produkten: 1200  
Mobil tank: Nej  
Övrig information: Tank AD-2000 Merkblatt; hardly ever used  
Omrörare: Nej  
Övertryck: 0.50 Bar  
Tankens form: cylindrical  
Total urtappning: Ja  
Typ av botten: dished  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 4450

### Utrustning

Dokument finns: Ja  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Tankutlopp: inside Ø 50 mm  
Teknisk ritning finns: Ja

### Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304

## **Dimensioner av tank**

Cylinderhöjd: 1.585 mm  
Total höjd: 2.400 mm  
Ytterdiameter: 1.800 mm

## **Tjocklek på tank**

Botten: 5 mm  
Cylinder: 4 mm  
Topp: 5 mm

## **Mer**

Isolerad: Nej  
Vikt: 805