

46000 liter tank i Rostfritt 304



218,000,00 kr /st exkl moms

Additional information: Caustic soda; Residues inside; 4 double support brackets, Fe; Metallic discolouration inside

Volumetric volume (L): 46.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: available
Cylinder: 3 mm
Bottom: 3 mm
Internal diameter tank: 3.000 mm

Cylinder height: 6.000 mm
Total height of tank: 9.200 mm
Empty weight tank: 2.600

SKU: 278296

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Caustic soda; Residues inside; 4 double support brackets, Fe; Metallic discolouration inside

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 46000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.000 mm

Invändig diameter: 3.000 mm

Total höjd: 9.200 mm

Tjocklek på tank

Botten: 3 mm

Cylinder: 3 mm

Mer

Isolerad: Nej

Vikt: 2.600
