

500 liter tank i Syrafast 316



55,000,00 kr /st exkl moms

Additional information: Pharmacy; Slight differences in the design of the tanks, e.g. 2 tank moveable on rollers, the rest on a fixed frame, Aisi 304; Max. pressure 3 bar in some cases; Differences in the connections in the manhole cover; Total height partly lower (depending on the connections in the manhole cover)

Volumetric volume (L): 500 L

Pressure in tank: pressure
Max. pressure (Bar): 2,50 Bar
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: available
Internal diameter tank: 800 mm
Total height of tank: 1.780 mm

SKU: 279760

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Slight differences in the design of the tanks, e.g. 1 tank moveable on rollers, the rest on a fixed frame, Aisi 304; Max. pressure 3 bar in some cases; Differences in the connections in

Övrig information2: the manhole cover; Total height partly lower (depending on the connections in the manhole cover)

Omrörare: Nej

Övertryck: 2.50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 800 mm

Total höjd: 1.780 mm

Mer

Isolerad: Nej
