

5000 liter tank i Rostfritt 304



64,000,00 kr /st exkl moms

Additional information: Food industry; Small dents in the cylinder / top floor transition; Manhole cover toggle no longer present; some residues of previous content

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.990 mm

Cylinder height: 1.490 mm

Total height of tank: 2.650 mm

Empty weight tank: 750

SKU: 276667

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Food industry; Small dents in the cylinder / top floor transition; Manhole cover toggle no longer present ; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.490 mm

Invändig diameter: 1.990 mm

Total höjd: 2.650 mm

Mer

Isolerad: Nej

Vikt: 750