

5000 liter tank i Rostfritt 304



111,000,00 kr /st exkl moms

Additional information: food industry; manhole diameter: approx. 410 mm; ; some residues of previous content; bump at the insulation jacket

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 60 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: 51
Agitator: yes
Internal diameter tank: 1.750 mm
Outer diameter tank: 1.900 mm

Cylinder height: 2.000 mm
Total height of tank: 4.080 mm

SKU: 304041

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Max. arbetstemperatur: 60 °C

Mobil tank: Nej

Övrig information: food industry; manhole diameter: approx. 410 mm;; some residues of previous content;bump at the insulation jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Invändig diameter: 1.750 mm

Total höjd: 4.080 mm

Ytterdiameter: 1.900 mm

Mer

Isolerad: Ja

