

## 50000 liter tank i Rostfritt 304



**433,000,00 kr /st exkl moms**

item available on order

**Article type:** brand new storage tank - type TZN-SL

**Volumetric volume (L):** 50.000 L

**Max. density P (kg/m<sup>3</sup>):** 1.000

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin



**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** conical 13 °

**Shape of tank:** cylindrical

**Bottom type:** conical 20 °

**Total discharge:** yes

**Fixation points:** 6 non adjustable feet

**Manway(s):** RVS 304

**Gasket manway(s):** EPDM

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Inspection of:** No Documentation

**Flange for agitator:** no

**Number of manways:** 2

**Position of manway:** headside

**Height manhole 1 (mm):** 500 mm

**Position 2nd manway:** cylinder

**Height manhole 2 (mm):** 440 x 308 mm

**Tank outlet:** inside Ø 80 mm

**Outlet type:** DIN 11851

**Top:** 2,50 mm

**Cylinder:** 2,50 mm

**Bottom:** 4 mm

**Distance from outlet to ground:** 400 mm

**Outer diameter tank:** 2.984 mm

**Cylinder height:** 7.000 mm

**Height of top:** 382 mm

**Height of bottom:** 600 mm

**Feet height:** 1.000 mm

**Total height of tank:** 8.382 mm

**Empty weight tank:** 1.850

**SKU:** 5978

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Maximal densitet för produkten: 1000

Mobil tank: Nej

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: conical 20 °

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 50000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Livsmedelsklassad: Ja  
med besiktning av: No Documentation  
Tankutlopp: inside Ø 80 mm  
Teknisk ritning finns: Nej  
Utloppstyp: DIN 11851

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 7.000 mm  
Höjd på fötter: 1.000 mm  
Mått utlopp till marke: 400 mm  
Total höjd: 8.382 mm  
Ytterdiameter: 2.984 mm

## Tjocklek på tank

Botten: 4 mm  
Cylinder: 2,50 mm  
Topp: 2,50 mm

## Mer

Isolerad: Nej  
Vikt: 1.850