

50000 liter tank i Rostfritt 304



341,000,00 kr /st exkl moms

Additional information: Pharmaceutical chemistry; Attention: up to 5000 € dismantling costs need to be incurred separately; +4 bar test pressure, total volume of 61450 liter; manhole cover plated

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Cylinder: 10 mm

Bottom: 12 mm

Internal diameter tank: 4.000 mm

Total height of tank: 5.900 mm

SKU: 280999

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfERIC

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; Attention: up to 5000 € dismantling costs need to be incurred separately; +4 bar test pressure, total volume of 61450 liter; manhole cover plated

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 50000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 4.000 mm

Total höjd: 5.900 mm

Tjocklek på tank

Botten: 12 mm

Cylinder: 10 mm

Mer

Isolerad: Nej
