

5074 liter tank i Rostfritt 304



87,000,00 kr /st exkl moms

Article type: second-hand storage tank

Additional information: the tanks have never been used

Volumetric volume (L): 5.074 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 non adjustable feet

Gasket manway(s): parra rubber

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 400 mm

Hinged lid: yes

Tank outlet: inside Ø 40 mm

Outlet type: DIN11851 male

Top: 1,50 mm

Cylinder: 1,50 mm

Bottom: 2 mm

Outer diameter tank: 1.430 mm

Cylinder height: 3.000 mm

Feet height: 500 mm

Total height of tank: 3.870 mm

Empty weight tank: 750

SKU: 219855

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: The tanks have never been used
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 5074

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 40 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN11851 male

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304



Dimensioner av tank

Cylinderhöjd: 3.000 mm
Höjd på fötter: 500 mm
Total höjd: 3.870 mm
Ytterdiameter: 1.430 mm

Tjocklek på tank

Botten: 2 mm
Cylinder: 1,50 mm
Topp: 1,50 mm

Mer

Isolerad: Nej
Vikt: 750