

5390 liter tank i Rostfritt 304



75,000,00 kr /st exkl moms

Additional information: Seal manufacturing; 1 connection in the upper bottom slightly bent; some residues of previous content

Volumetric volume (L): 5.390 L

Pressure in tank: ATM - atmosferic



Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 42 L

Max Overpressure: 2 Bar

Max. working temperature: 80 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: in the bottom

Outlet of tank: 115

Internal diameter tank: 2.000 mm

Cylinder height: 1.600 mm

Total height of tank: 2.700 mm

SKU: 272731

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Seal manufacturing; 1 connection in the upper bottom slightly bent; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5390

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.600 mm

Invändig diameter: 2.000 mm

Total höjd: 2.700 mm

Mer

Isolerad: Nej