

5500 liter tank i Rostfritt 304



78,000,00 kr /st exkl moms

Additional information: Sparkling wine; 1 manhole approx. 320 x 420 mm in the front bottom; tanks were attached as chamber tanks to other tanks - they would have to be supported accordingly on site for installation (some of the cut-off remains of the former feet are still on the tanks); 1 tank with a dent in the cylinder/floor transition (see photos); some residues of previous content

Volumetric volume (L): 5.500 L
Pressure in tank: pressure
Max. pressure (Bar): 8 Bar
Material wet parts: SS AISI 304 (V2A)

Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: DN65 DIN 11851
Cylinder: 4 mm
Bottom: 3,80 mm
Internal diameter tank: 1.490 mm
Total outer length: 3.500 mm

Empty weight tank: 775

SKU: 440138

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Sparkling wine; 1 manhole approx. 320 x 420 mm in the front bottom; tanks were attached as chamber tanks to other tanks – they would have to be supported accordingly on site for installation (some

Övrig information2: of the cut-off remains of the former feet are still on the tanks); 1 tank with a dent in the cylinder/floor transition (see photos); some residues of previous content

Omrörare: Nej

Övertryck: 8 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 5500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.490 mm

Tjocklek på tank

Botten: 3,80 mm

Cylinder: 4 mm

Mer

Isolerad: Nej

Vikt: 775