


6000 liter tank i Rostfritt 304



203,000,00 kr /st exkl moms

Additional information: chemistry; before tank stood on 4 tube feet made of mild steel , but there is only 1 of them still present; heating connections has been cracked or cut off (see pictures)

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN150

Agitator: yes

Power: 30

Cylinder: 10 mm

Internal diameter tank: 2.100 mm

Cylinder height: 1.500 mm

Total height of tank: 4.050 mm

SKU: 267097

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: chemistry; before tank stood on 4 tube feet made of mild steel , but there is only 1 of them still present; heating connections has been cracked or cut off (see pictures); we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 6000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 2.100 mm

Total höjd: 4.050 mm

Omrörare

Kraft (kW): 30

Tjocklek på tank

Cylinder: 10 mm

Mer

Värmeväxlare: RVS 304

Isolerad: Nej