

750 liter tank i Syrafast 316



60,000,00 kr /st exkl moms

Additional information: pharmacy; upper bottom made of Aisi 304 (1.4541); metallic discolourations inside; manhole in the upper bottom diameter 350 mm; some residues of previous content; dents at the insulation jacket

Volumetric volume (L): 750 L

Pressure in tank: pressure

Max. pressure (Bar): 2,50 Bar

Max. temperature (°C): 135 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 80 L

Max Overpressure: 2,50 Bar

Max. working temperature: 135 °C

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 790 mm

Outer diameter tank: 900 mm

Cylinder height: 1.230 mm

Total height of tank: 2.150 mm

SKU: 266815

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 135 °C

Mobil tank: Nej

Övrig information: pharmacy; upper bottom made of Aisi 304 (1.4541); metallic discolourations inside; manhole in the upper bottom diameter 350 mm; some residues of previous content;dents at the insulation jacket; we

Övrig information2: can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Övertryck: 2.50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 750

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.230 mm
Invändig diameter: 790 mm
Total höjd: 2.150 mm
Ytterdiameter: 900 mm

Mer

Värmeväxlare: RVS 304
Isolerad: Ja