

80000 liter tank i Rostfritt 304



735,000,00 kr /st exkl moms

Additional information: Yoghurt tank in a dairy; Double chamber tank (2 x 40,000 liters); cylinder height 2 x 4600 mm; Manhole approx. 410 x 510 mm; upper tank in the upper bottom leaking; Ready for collection from around the end of July

Volumetric volume (L): 80.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,20 Bar

Min. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 0,20 Bar

Max onderdruk: 0,50 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 80

Agitator: yes

Internal diameter tank: 3.200 mm

Outer diameter tank: 3.300 mm

SKU: 433625

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Yoghurt tank in a dairy; Double chamber tank (2 x 40,000 liters); cylinder height 2 x 4600 mm; Manhole approx. 410 x 510 mm; upper tank in the upper bottom leaking; Ready for collection from around

Övrig information2: the end of July; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0.20 Bar

Total urtappning: Ja

Undertryck (vakuum): 0,50 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 80000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 3.200 mm

Ytterdiameter: 3.300 mm

Mer

Isolerad: Ja