

## 740 liter tank i Syrafast 316



**61,000,00 kr /st exkl moms**

**Additional information:** Pharmaceutical chemistry; Technical documents only available for one of the two identical tanks; Hand hole DN 150 (the hand hole cover is missing on one of the two tanks); Total height of one tank approx. 2,000 mm, the other tank is slightly higher at approx. 2,120 mm due to a fitting

**Volumetric volume (L):** 740 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3,20 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 3,20 Bar

**Max onderdruk:** 1 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN25

**Cylinder:** 4 mm

**Bottom:** 4 mm

**Internal diameter tank:** 800 mm

**Cylinder height:** 1.260 mm

**Total height of tank:** 2.120 mm

**SKU:** 282058

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; Technical documents only available for one of the two identical tanks; Hand hole DN 150 (the hand hole cover is missing on one of the two tanks);

Total height of one tank

Övrig information2: approx. 2,000 mm, the other tank is slightly higher at approx. 2,120 mm due to a fitting

Omrörare: Nej

Övertryck: 3.20 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 740

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 1.260 mm

Invändig diameter: 800 mm

Total höjd: 2.120 mm

## Tjocklek på tank

Botten: 4 mm

Cylinder: 4 mm

## Mer

Isolerad: Nej