


## 1840 liter tank i Syrafast 316



## 81,000,00 kr /st exkl moms

**Additional information:** Pharmaceutical chemistry; Diameter Manhole DN 500

**Volumetric volume (L):** 1.840 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3,20 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 100 °C

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 3,20 Bar

**Max onderdruk:** 1 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** flange DN50

**Cylinder:** 5 mm

**Bottom:** 4 mm

**Internal diameter tank:** 1.000 mm

**SKU:** 282370

## Mer information

### Beskrivning av produkt

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; Diameter Manhole DN 500

Omrörare: Nej

Övertryck: 3.20 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Volym i liter: 1840

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Dimensioner av tank

Invändig diameter: 1.000 mm

### Tjocklek på tank

Botten: 4 mm

Cylinder: 5 mm

**Mer**

Isolerad: Nej

---